

FIG. 1




FIG. 2

100




FIG. 3

200




FIG. 4




FIG. 5

500

501

PRINTING

PRINTER

PRINTER NAME(N): MinoltaPi3504

STATUS: IDLING

KIND: MinoltaPi3504

LOCATION: IP_150.17.41.69

PROPERTY(P)

RANGE OF PRINTING

☒ ALL(A)

☐ CURRENT PAGE(E)

☐ PAGE DESIGNATION(G):

NUMBER OF COPIES TO BE PRINTED

NUMBER OF COPIES(C): 1

ENLARGE/REDUCE

OBJECT OF PRINTING(W): DOCUMENT

DESIGNATION OF PRINTING(R): ALL PAGES

NUMBER OF PAGES PER SHEET(H): 1 PAGE

DESIGNATION OF PAPER SIZE(Z): NO SCALING

OK CANCEL

502

503

FIG. 6

510

SECURE PRINTING

☒ SECURE PRINTING MODE

☐ SECURE PRINTING AND SECURE SAVING

☒ NORMAL PRINTING AND SECURE SAVING

☐ SECURE PRINTING ONLY (NO SAVING)

PASSWORD:

Nq35HbMj

OK CANCEL

FIG. 7

600

611 %12345X@PJL JOB NAME="Sample1. doc"

612 %PJL SET USERNAME=nakao

613 %PJL SET SECUREMODE=NORMAL _ AND _ SAVE

614 %PJL SET PASSWORD=Nq35HbMj

.....

..... (IMAGE DATA)

620

FIG. 8




FIG. 9




FIG.10




FIG.11

205

700 221

700		
221		
SAVED DOCUMENT: PLEASE SELECT DOCUMENT		
DOCUMENT NAME	USER NAME	DATE OF TRANSMISSION
Sample. doc	nakao	2002/12/18
Sample2. doc	nakao	2002/12/20
SAMPLE. xls	nakamura	2002/12/20

7 8 9
4 5 6
1 2 3
0 ENTER 222
SAVED DOCUMENT 223

FIG.12

205

710 221

710	
221	
SECURE PRINTING: PLEASE ENTER PASSWORD	
Nq35HbMj 711	

7 8 9 225
4 5 6
1 2 3
0 ENTER 222
SAVED DOCUMENT 223
CANCEL 226

Q W E R T Y U I O P
A S D F G H J K L 224
Z X C V B N M

FIG.13




FIG.14

205

720 221

REGISTRATION: PLEASE ENTER USER NAME AND
PASSWORD

USER NAME: 721

PASS WORD: 722

7 8 9 225

4 5 6

1 2 3

0 ENTER 222

SAVED DOCUMENT 223

CANCEL 226

REGISTRATION 227

Q W E R T Y U I O P

A S D F G H J K L

Z X C V B N M 224

FIG.15

650

USER NAME	PASSWORD
nakao	Nq35HbMj
nakamura	G7ImfCiA
nakajima	U2sPLkiY

FIG.16

510a

511

SECURE PRINTING

512

513

514

516

517

FIG.17

600a

610

611

612

613

620

%12345X@PJL JOB NAME="Sample. doc"

%PJL SET USERNAME=nakao

%PJL SET SECUREMODE=NORMAL_AND_SAVE

.....

..... (IMAGE DATA)

.....

FIG.18




FIG.19

